



Multidot Composition

96 spheres - 2700K

Brian Sironi

colors



Typology Pendant

Utilisation Indoor

76.8W 7680lm



diffuse light

Inspired by the chandeliers of the past, Multidot offers a modern interpretation of the candelabra, bringing it up to date in terms of composition, expression and technology.

This lamp is a chameleon of design, its individual cables with their 'stapled' luminous spheres making it capable of changing from a formal and refined illuminating ornament to a slender and modern lamp. A union of memory and modernity, a harmony between innovation and tradition.

Winner of Archiproducts Design Award 2023 and IF product design award 2024



General info

Cables number	8
Dimensions	170 x 170 x 160cm
Total weight	approximately 8.26kg
Typology	Pendant
Utilisation	Indoor
Emission	Diffuse light
Market	Europe

Component

Component	Material	Color
Canopy	Aluminium	Black
Cable	PVC	Black
Sphere diffuser	Polycarbonate	White


Electrical parameters


Light source	Integrated LED module
Total watts	76.8W
Total lumens	7680lm
CRI	>90
Temperature color	2700K
Energy class	F
Voltage	230/24V
Power supply	Included in canopy
Power source	Dimmable electronic ballast
Dimming type	push, Dali2, Pot. 10K Ω , 0-10V, 1-10V

Canopy

Product code	40211.240.8
Type	Circular
Diameter	36cm
Height	6.5cm

Certifications





Cables info

Coordinates are relative to the center of the canopy.

Cable ID	Cable	Product code	Type	N. of sphere	Watt per cable	L. of cable from canopy to 1° sphere	L. of suspended steel cable	X Coords	Y Coords	Z Coords
A	Attached	40210.2700.12.11.280.145	S	12	9.6W	82cm	129cm	60cm	60cm	129cm
B	Attached	40210.2700.12.11.280.145	S	12	9.6W	82cm	129cm	0cm	85cm	129cm
C	Attached	40210.2700.12.11.280.145	S	12	9.6W	82cm	129cm	-60cm	60cm	129cm
D	Attached	40210.2700.12.11.280.145	S	12	9.6W	82cm	129cm	-85cm	0cm	129cm
E	Attached	40210.2700.12.11.280.145	S	12	9.6W	82cm	129cm	-60cm	-60cm	129cm
F	Attached	40210.2700.12.11.280.145	S	12	9.6W	82cm	129cm	0cm	-85cm	129cm
G	Attached	40210.2700.12.11.280.145	S	12	9.6W	82cm	129cm	60cm	-60cm	129cm
H	Attached	40210.2700.12.11.280.145	S	12	9.6W	82cm	129cm	85cm	0cm	129cm